


PROFIT EKO 70



alfapen

■ uPVC WINDOWS & DOOR SYSTEMS



30 mm Cam Çıtası
30 mm Glazing Beat

Galvanizli Metal Destek Profili
Galvanized Reinforcement Profile

Özel Su Tahliye Kanalı
Special Water Drainage Channel

5 Odacıklı Profil Yapısı
5 Chamber Profile Structure

70mm


PROFITEKO 70

- 70 mm profil genişliđi ile dolgun görünüm.
- Tek tırnaklı cam çıtaları ve kendinden contalı profilleri ile işçilik ve zamandan tasarruf sağlar.
- 5 hava cepli profil tasarımı ile mükemmel ısı yalıtımı
- Mükemmel su tahliye kanalları sayesinde sızan suların problemsizce dışarı atılmasını sağlar
- 4 mm tek camdan 30 mm ısıcama varan cam kullanım imkanı.
- Açılı profil tasarımı ile modern görünüm
- Yeni köşeli tasarım ile modern görünüm.


- Voluminous appearance with 70 mm profile width
- Labor cost and time saving with the single catch glass beat and profiles with incorporated joints
- Perfect heat insulation by a 5-chamber profile design
- Leaking water can be drained without any problems with special water drainage channels
- Possibility of 30 mm to 24 mm insulated glass or 4 mm single glass usage
- Modern appearance with angled profile design




PROFIT 70




PROFIT 70
PF-L44
KASA PROFİLİ / FRAME PROFILE




PROFIT 70
PF-T44
ORTA KAYIT PROFİLİ / MULLION PROFILE




PROFIT 70
PF-Z58
KANAT PROFİLİ / SASH PROFILE




PROFIT 70
PF-KZ85
KAPI PROFİLİ
DOOR SASH PROFILE




PROFIT 70
PF-PL81
PERVAZLI KASA PROFİLİ
GRONIED FRAME PROFILE




PROFIT 70
PHA66C
HAREKETLİ ORTA KAYIT PROFİLİ
OVERHUNG PROFILE




10112
36-38 mm CONTALI ISICAM ÇİTASI
36-38 mm TRIPLE GLAZING BEAT WITH GASKET




20110
CONTALI ISICAM ÇİTASI
DOUBLE GLAZING BEAT WITH GASKET




PROFIT 70
20110 CONTALI ISICAM ÇİTASI
DOUBLE GLAZING BEAT WITH GASKET



10111
30mm CONTALI ISICAM ÇİTASI
30mm TRIPLE GLAZING BEAT WITH GASKET




20109
CONTALI TEKCAM ÇİTASI
SINGLE GLAZING BEAT WITH GASKET




10110
CONTALI ISICAM ÇİTASI
DOUBLE GLAZING BEAT WITH GASKET


PROFIT 70
KASA - KAPI KANAT
KÖRKASALI UYGULAMA KESİT DETAYI
(24 mm ISICAM UYGULAMASI)
FRAME - DOOR SASH SECONDARY
FRAME CONNECTION DETAIL
(24 mm DOUBLE GLASS APPLICATION)




PROFIT 70
KASA - PENCERE KANAT
UYGULAMASI KESİT DETAYI
FRAME SASH CONNECTION DETAIL



PROFIT 70
KAPALI BAĞ PROFİLİ
UYGULAMASI KESİT DETAYI
COVERED COUPLING PROFILE
APPLICATION DETAIL



PROFIT 70
ÇİFT KANAT ADAPTÖRÜ
UYGULAMASI KESİT DETAYI
OVERHUNG PROFILE USING DETAIL



PROFIT 70
PERVAZLI KASA KANAT
UYGULAMASI KESİT DETAYI
OVERHUNG PROFILE USING DETAIL

