


WINMARK

- 60 mm profil genişliđi ile dolgun görünüm.
 - Tek tip galvanizli metal takviye profili ile stok ve işçilik maliyeti azalır.
 - Tek tip Gri contası sayesinde kesin sızdırmazlık
 - Tek tırnaklı cam çitaları ve kendinden contalı profilleri ile işçilik ve zamandan tasarruf sağlar.
 - 4 hava cepli profil tasarımı ile mükemmel ısı yalıtımı
 - Kasada ve kanatta menteşe vidaları metal destek profillerini de tutar.
 - Mükemmel su tahliye kanalları sayesinde sızan suların problemsizce dışarı atılmasını sağlar
 - 4 mm tek camdan 30 mm ısıcama varan cam kullanım imkanı.
 - Oval yapısı ile mekanlarınıza estetik bir görünüm verir.
-
- Voluminous appearance with 60 mm profile width
 - Reduction of stock and labor cost by standard type galvanized reinforcement profiles
 - Perfect insulation is being granted with the Grey joint that is being used
 - Labor cost and time saving with the single catch glass beat and profiles with incorporated joints
 - Perfect heat insulation by a 4-chamber profile design
 - The hinges in the frames and wings sustain also the metal support profiles
 - Leaking water can be drained without any problems with special water drainage channels
 - Possibility of 30 mm to 18,5 mm insulated glass or 4 mm single glass usage
 - Esthetic appearance in your rooms with its oval structure




WINMARK


WINMARK
PLUS ORTA KAYIT PROFİLİ
MULLION PROFILE




WINMARK
DIŞA AÇILIR KANAT PROFİLİ
OUTSIDE SASH PROFILE




WINMARK
HAREKETLİ ORTA KAYIT PROFİLİ
MULLION PROFILE




WINMARK
PLUS KASA PROFİLİ
FRAME PROFILE




WINMARK
KASA PROFİLİ
FRAME PROFILE




WINMARK
KAPI KANAT PROFİLİ
DOOR SASH PROFILE




WINMARK
PLUS PERVAZLI KASA PROFİLİ
SASH PROFILE




WINMARK
KANAT PROFİLİ
SASH PROFILE




WINMARK
PERVAZLI KASA PROFİLİ
GROINED FRAME PROFILE




ARMADA
ATC35C
CONTALI TEKCAM ÇİTASI
SINGLE GLAZING BEAT WITH
GASKET




ARMADA
ATC22C
CONTALI ISICAM ÇİTASI
DOUBLE GLAZING BEAT WITH
GASKET



ARMADA
AIC16C
30 MM CONTALI ISICAM ÇİTASI
SINGLE GLAZING BEAT WITH
GASKET




ARMADA
AUC9C
36-38MM CONTALI ÜÇLÜ ISICAM ÇİTASI
TRIPLE GLAZING BEAT WITH
GASKET




WINMARK

KASA - PENCERE KANAT
KÖRKASALI UYGULAMA KESİT DETAYI
(TEK ISICAM UYGULAMASI)
FRAME - SASH SECONDARY
FRAME CONNECTION DETAIL
(SINGLE GLAZING BEAT)




WINMARK

KASA - PENCERE KANAT
UYGULAMASI KESİT DETAYI
(ISICAM UYGULAMASI)
FRAME - SASH CONNECTION
DETAIL
(GLAZING BEAT)



WINMARK

KASA - PENCERE KANAT
UYGULAMASI KESİT DETAYI
FRAME - SASH CONNECTION
DETAIL



WINMARK

KASA - PENCERE KANAT
UYGULAMASI KESİT DETAYI
(ÜÇLÜ ISICAM UYGULAMASI)
FRAME - SASH CONNECTION
DETAIL
(TRIPLE GLAZING BEAT)

